

**Amendments to the Claims**

This listing of claims will replace all prior listings of claims in the application.

**Listing of Claims**

1. (Previously Presented) A thermoplastic resin composition comprising 2.5 to 15 wt% of a styrene-based thermoplastic elastomer and 85 to 97.5 wt.% of tungsten powder.
2. (Canceled)
3. (Previously Presented) The thermoplastic resin composition of claim 1, wherein the styrene-based thermoplastic elastomer is at least one styrene-based thermoplastic elastomer selected from the group consisting of a hydrogenated polystyrene-polyisoprene block copolymer, a hydrogenated polystyrene-polybutadiene block copolymer and a hydrogenated polystyrene-polyisoprene block copolymer containing a butadiene unit in a polyisoprene moiety.
4. (Previously Presented) A thermoplastic resin molded article comprising 2.5 to 15 wt.% of a styrene-based thermoplastic elastomer and 85 to 97.5 wt.% of tungsten powder.
5. (Original) The molded article of claim 4, wherein a surface hardness of the molded article is 80 or less, when measured by a method defined in JIS K-7215.
6. (Original) The molded article of claim 4, wherein a specific gravity of the molded article is 8 or more.

7. (Original) The molded article of claim 5, wherein a specific gravity of the molded article is 8 or more.

8.-11. (Canceled)

12. (Previously Presented) The molded article of claim 4, wherein the styrene-based thermoplastic elastomer is at least one styrene-based thermoplastic elastomer selected from the group consisting of a hydrogenated polystyrene-polyisoprene block copolymer, a hydrogenated polystyrene-polybutadiene block copolymer and a hydrogenated polystyrene-polyisoprene block copolymer containing a butadiene unit in a polyisoprene moiety.

13.-15. (Canceled)

16. (Previously Presented) The thermoplastic resin composition of Claim 1, additionally comprising at least one member selected from the group consisting of steel, brass, copper, aluminum, nickel, silver, zinc, iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

17. (Previously Presented) The thermoplastic resin composition of Claim 16, wherein the at least one member is selected from the group consisting of iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

18. (Previously Presented) The molded article of Claim 4, additionally comprising at least one member selected from the group consisting of steel, brass, copper, aluminum, nickel, silver, zinc, iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

19. (Previously Presented) The molded article of Claim 18, wherein the at least one member is selected from the group consisting of iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

20. (Previously Presented) The thermoplastic resin composition of Claim 16, wherein the at least one member is selected from the group consisting of steel, brass, copper, aluminum, nickel, silver and zinc.

21. (Previously Presented) The molded article of Claim 18, wherein the at least one member is selected from the group consisting of steel, brass, copper, aluminum, nickel, silver and zinc.

22. (Previously Presented) A thermoplastic resin composition consisting essentially of 2.5 to 15 wt.% of a styrene-based thermoplastic elastomer, 85 to 97.5 wt.% of tungsten powder and, optionally, at least one member selected from the group consisting of steel, brass, copper, aluminum, nickel, silver, zinc, iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

23. (Previously Presented) A thermoplastic resin molded article consisting essentially of 2.5 to 15 wt.% of a styrene-based thermoplastic elastomer, 85 to 97.5 wt.% of tungsten powder and, optionally, at least one member selected from the group consisting of steel, brass, copper, aluminum, nickel, silver, zinc, iron oxide, copper oxide, aluminum oxide, barium sulfate, zinc oxide and molybdenum sulfide.

24. (New) The thermoplastic resin composition of Claim 1, comprising 2.5 to 6.5 wt.% of the styrene-based elastomer and 93.5 to 97.5 wt.% of tungsten powder.

25. (New) The molded article of Claim 4, comprising 2.5 to 6.5 wt.% of the styrene-based elastomer and 93.5 to 97.5 wt.% of tungsten powder.

26. (New) The molded article of Claim 23, consisting essentially of 2.5 to 6.5 wt.% of the styrene-based elastomer, 93.5 to 97.5 wt.% of tungsten powder and, optionally, the at least one member.

27. (New) The thermoplastic resin composition of Claim 1, consisting of the styrene-based elastomer and the tungsten powder.

28. (New) The molded article of Claim 4, consisting of the styrene-based elastomer and the tungsten powder.

29. (New) The molded article of Claim 23, consisting of the styrene-based elastomer, tungsten powder and, optionally, the at least one member.